



February 14, 2017

Office of Enforcement and Compliance Assurance
Office of Federal Activities
International Compliance Assurance Division (2254A)
Environmental Protection Agency
1200 Pennsylvania Avenue, N.W.
Washington, DC 20460

CERTIFIED MAIL

RE: Annual Hazardous Waste Export Report

Please find attached our Annual Hazardous Waste Export Report as required under 40 CFR 262.56. Should you require any additional information, please contact me at the address or phone numbers listed below.

Sincerely,

A handwritten signature in blue ink that reads 'Lisa Overton'.

Lisa Overton

Environmental Specialist

Fort Smith Mill

Gerdau Special Steel North America

5225 Planters Road (72916) Phone: 479/649-4034

P.O. Box 1592 Cell: 479/322-0669

Fort Smith, AR 72902 Fax: 479/648-5588


Lisa.Overton@gerdau.com

ARKANSAS

5225 Planters Road · Fort Smith, AR 72916-9549

Mailing Address: P.O. Box 1592 · Fort Smith, AR 72902-1592

(479) 646-0223 · fax: (479) 648-5592



2016 Annual Hazardous Waste Export Report

Exporter: Gerdau – Fort Smith Mill
5225 Planters Rd.
P.O. Box 1592
Fort Smith, AR 72902

EPA # ARD053730701

Contact: Lisa Overton
Environmental Specialist
Phone Number: (479) 649-4034

Consignee: Zinc Nacional, SA
Serafin Pena 938 Sur
6400 Monterrey N.L. Mexico
Phone Number: 011-52-83400434

Waste Shipped: RQ, Hazardous Waste Solid N.O.S., Class 9, UN3077, PGIII, (K061)
(Emission Control Dust/Sludge from Primary Production of Steel in
Electric Furnaces) ERG #171

Quantity of Waste: 16,623,600 lbs.

Number of Shipments: 90

Transporters: Fort Smith Railroad - US EPA ID Number – ARR000026096
Union Pacific - US EPA ID Number - NED001792910

Waste Minimization: K061 is a byproduct from the melting and refining of steel scrap in Electric Arc Furnaces. The major component, which contributes to the toxicity of the waste, is lead. The typical lead content of K061 is approximately 5% compared to 1% for the K061 produced at our facility. The low lead content is due to the use of "clean" scrap in our operations. The volume of K061 produced per ton of steel produced, was reduced by approximately 10% in the early 1980's by changing the method by which lime is added to the furnaces. No other feasible technology is known which would further reduce either the toxicity or volume of K061 produced.

I certify under the penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

Gerdau – Fort Smith Mill



Lisa Overton
Environmental Specialist

February 14, 2017



Gerdau Special Steel North America
Fort Smith Mill
P.O. Box 1592
Fort Smith, AR 72902




7013 2250 0000 0423 2575



FEB 24 2017

Office of Enforcement and Compliance Assurance
Office of Federal Activities
International Compliance Assurance Division (2254A)
Environmental Protection Agency
1200 Pennsylvania Avenue N.W.
Washington, DC 20460



70132250000004232575



Certified

Department: 2254A

Mailstop ARIEL RIOS NORTH

To: Enforcement Compliance Assurance

Route EPA Mail

D-105-5/11 (SND)